Brain Research, 610 (1993) 358–360
Elsevier Science Publishers B.V.

Author Index

Akane, A., see Matsubara, K. (610) 90
Amato, G., see Crescimanno, G. (610) 242
Araki, M., see Ogawa, M. (610) 135
Arbuthnott, G.W., see Furmidge, L.J. (610) 234
Ariga, K., see Mori, N. (610) 344
Ault, B., see Stoll, J. (610) 295

Badoer, E., McKinley, M.J., Oldfield, B.J. and McAllen, R.M.
A comparison of hypotensive and non-hypotensive hemorrhage on Fos expression in spinally projecting neurons of the paraventricular nucleus and rostral ventrolateral medulla (610) 216
Baek, S.Y., see Park, H.T. (610) 334
Baethmann, A., see Staub, F. (610) 69
Balbo, A., see Stoll, J. (610) 295
Barnett, N., see Osborne, N.N. (610) 194
Barone, F.C., see Yue, T.-L. (610) 53
Becker, J.B., see Castner, S.A. (610) 127
Beitz, A.J., see Onstott, D. (610) 317
Bennett, B.D. and Bolam, J.P.
Two populations of calbindin D28k-immunoreactive neurones in the striatum of the rat (610) 305
Benson, T.M., see Malin, D.R. (610) 169
Bolam, J.P., see Bennett, B.D. (610) 305
Bondy, S.C. and Lee, D.K.
Oxidative stress induced by glutamate receptor agonists (610) 229
Borisy, F.F., Hwang, P.N., Ronnett, G.V. and Snyder, S.H.
High-affinity cAMP phosphodiesterase and adenosine localized in sensory organs (610) 199
Buchanan, J.E. and Phillis, J.W.
The role of nitric oxide in the regulation of cerebral blood flow (610) 248

Cahill, C.M., see Sawynok, J. (610) 32
Castner, S.A., Xiao, L. and Becker, J.B.
Sex differences in striatal dopamine: in vivo microdialysis and behavioral studies (610) 127
Castoldi, A.F., Manzo, L. and Costa, L.G.
Cyclic GMP formation induced by muscarinic receptors is mediated by nitric oxide synthesis in rat cortical primary cultures (610) 57
Chikahisa, L., see Oyama, Y. (610) 172
Chmielewski, P.A., see Holley, L.A. (610) 181
Chung, J.M., see Sheen, K. (610) 62
Collins, M.A., see Matsubara, K. (610) 90
Coote, J.H., see Lewis, D.I. (610) 267
Corriere, L.S., see Malin, D.R. (610) 169
Costa, L.G., see Castoldi, A.F. (610) 57
Crabbe, J.C., see Kosobud, A.E. (610) 176
Crescimanno, G., Ferdico, M., Emmi, A., Sorbera, F., D'Amelio, M. and Amato, G.
Influence of ventral tegmental area (A10 region) on flight behaviour elicited by hypothalamic stimulation in the cat (610) 242
Cunningham, J.T., Nissen, R. and Renaud, L.P.
Norepinephrine injections in diagonal band of Broca selectively reduce the activity of vasopressin supraoptic neurons in the rat (610) 152

Dailey, J.W., see Yan, Q.-S. (610) 24
D'Amelio, M., see Crescimanno, G. (610) 242
Degani, H., see Ting, Y.-L.T. (610) 16
De Ryck, M., see Pauwels, P.J. (610) 8
Dom, R., see Pauwels, P.J. (610) 8
Dotti, C.G., Kartenbeck, J. and Simons, K.
Polarized distribution of the viral glycoproteins of vesicular stomatitis, fowl plague and Semliki Forest viruses in hippocampal neurons in culture: a light and electron microscopy study (610) 141
Downie, J.W., see Sawynok, J. (610) 32
Dudchenko, P., see Holley, L.A. (610) 181
Duggan, A.W., see Furmidge, L.J. (610) 234

Emmi, A., see Crescimanno, G. (610) 242
Emson, P.C., see Kishimoto, J. (610) 325
Ensor, D.M., Morley, J.S., Redfern, R.M. and Miles, J.B.
The activity of an analogue of MPF (β-endorphin 28–31) in a rat model of Parkinson's disease (610) 166

Faull, R.L.M., see Waldvogel, H.J. (610) 311
Ferdico, M., see Crescimanno, G. (610) 242
Feuerstein, G.Z., see Yue, T.-L. (610) 53
Fine, A., see Stoll, J. (610) 295
Fink, D.J., see Mata, M. (610) 162
Firestone, L.L., see Quinlan, J.J. (610) 224
Florkiewicz, R.Z., see Puchacz, E. (610) 39
Fox, L.M., see McNulty, J.A. (610) 108
Furmidge, L.J., Duggan, A.W. and Arbuthnott, G.W.
Substance P release from rat nucleus accumbens and striatum: an in vivo study using antibody microprobes (610) 234
Furukawa, K., see Oyama, Y. (610) 172

Gallaher, E.J., see Quinlan, J.J. (610) 224
Gibbs, R.B., McCarthy, M.M. and Pfaff, D.W.
Nerve growth factor affects defense-related behaviors, but not lordosis, in ovariectomized, estrogen-treated rats (610) 256
Gu, J.-L., see Yue, T.-L. (610) 53

Halvorson, I. and Thornhill, J.
Posterior hypothalamic stimulation of anesthetized normothermic and hypothermic rats evokes shivering thermogenesis (610) 208
Handunge, B.P., see Malin, D.R. (610) 169
Hayashi, A., see Oyama, Y. (610) 172
Hayden, M.R., see Tooyama, I. (610) 1
Herrera, A.J., see Osborne, N.N. (610) 194
Herreras, O. and Somjen, G.G.
Analysis of potential shifts associated with recurrent spreading depression and prolonged unstable spreading depression induced by microdialysis of elevated K^+ in hippocampus of anesthetized rats (610) 283
Herreras, O. and Somjen, G.G.
Propagation of spreading depression among dendrites and somata of the same cell population (610) 276
Hirayasu, Y. and Wada, J.A.
The effect of brainstem bisection prior to the amygdala kindling in rats (610) 354
Holley, L.A., Miller, J.A., Chmielewski, P.A., Dudchenko, P. and Sarter, M.
Interactions between the effects of basal forebrain lesions and chronic treatment with MDL 26,479 on learning and markers of cholinergic transmission (610) 181
Hwang, P.N., see Borisy, F.F. (610) 199

Ikebuchi, J., see Matsubara, K. (610) 90
Isaac, L., see Qu, Z.-X. (610) 340

Jin, C.-F., see Mata, M. (610) 162
Jobe, P.C., see Yan, Q.-S. (610) 24

Kagawa, M., see Matsubara, K. (610) 90
Kalra, P.S. and Kalra, S.P.
Neuropeptide K stimulates corticosterone release in the rat (610) 330
Kalra, S.P., see Kalra, P.S. (610) 330
Kartenbeck, J., see Dotti, C.G. (610) 141
Kastin, A.J., see Malin, D.R. (610) 169
Kempski, O., see Staub, F. (610) 69
Keverne, E.B., see Kishimoto, J. (610) 325
Kim, B.S., see Park, H.T. (610) 334
Kim, J.B., see Park, H.T. (610) 334
Kim, J.J., see Park, H.T. (610) 334
Kimura, H., see Tooyama, I. (610) 1
Kishimoto, J., Keverne, E.B. and Emson, P.C.
Calretinin, calbindin-D28k and parvalbumin-like immunoreactivity in mouse chemoreceptor neurons (610) 325
Kosobud, A.E. and Crabbe, J.C.
Sensitivity to *N*-methyl-D-aspartic acid-induced convulsions is genetically associated with resistance to ethanol withdrawal seizures (610) 176
Kremer, H.P.H., see Tooyama, I. (610) 1
Kumashiro, H., see Mori, N. (610) 344

Lake, J.R., see Malin, D.R. (610) 169
Lee, D.K., see Bondy, S.C. (610) 229
Le Mevel, J.-C., Pamantung, T.-F., Mabin, D. and Vaudry, H.
Effects of central and peripheral admin-

Brain Research, 610 (1993) 358–360
Elsevier Science Publishers B.V.

Author Index

Akane, A., see Matsubara, K. (610) 90
Amato, G., see Crescimanno, G. (610) 242
Araki, M., see Ogawa, M. (610) 135
Arbuthnott, G.W., see Furmidge, L.J. (610) 234
Ariga, K., see Mori, N. (610) 344
Ault, B., see Stoll, J. (610) 295

Badoer, E., McKinley, M.J., Oldfield, B.J. and McAllen, R.M.
A comparison of hypotensive and non-hypotensive hemorrhage on Fos expression in spinally projecting neurons of the paraventricular nucleus and rostral ventrolateral medulla (610) 216
Baek, S.Y., see Park, H.T. (610) 334
Baethmann, A., see Staub, F. (610) 69
Balbo, A., see Stoll, J. (610) 295
Barnett, N., see Osborne, N.N. (610) 194
Barone, F.C., see Yue, T.-L. (610) 53
Becker, J.B., see Castner, S.A. (610) 127
Beitz, A.J., see Onstott, D. (610) 317
Bennett, B.D. and Bolam, J.P.
Two populations of calbindin D28k-immunoreactive neurones in the striatum of the rat (610) 305
Benson, T.M., see Malin, D.R. (610) 169
Bolam, J.P., see Bennett, B.D. (610) 305
Bondy, S.C. and Lee, D.K.
Oxidative stress induced by glutamate receptor agonists (610) 229
Borisy, F.F., Hwang, P.N., Ronnett, G.V. and Snyder, S.H.
High-affinity cAMP phosphodiesterase and adenosine localized in sensory organs (610) 199
Buchanan, J.E. and Phillis, J.W.
The role of nitric oxide in the regulation of cerebral blood flow (610) 248

Cahill, C.M., see Sawynok, J. (610) 32
Castner, S.A., Xiao, L. and Becker, J.B.
Sex differences in striatal dopamine: in vivo microdialysis and behavioral studies (610) 127
Castoldi, A.F., Manzo, L. and Costa, L.G.
Cyclic GMP formation induced by muscarinic receptors is mediated by nitric oxide synthesis in rat cortical primary cultures (610) 57
Chikahisa, L., see Oyama, Y. (610) 172
Chmielewski, P.A., see Holley, L.A. (610) 181
Chung, J.M., see Sheen, K. (610) 62
Collins, M.A., see Matsubara, K. (610) 90
Coote, J.H., see Lewis, D.I. (610) 267
Corriere, L.S., see Malin, D.R. (610) 169
Costa, L.G., see Castoldi, A.F. (610) 57
Crabbe, J.C., see Kosobud, A.E. (610) 176
Crescimanno, G., Ferdico, M., Emmi, A., Sorbera, F., D'Amelio, M. and Amato, G.
Influence of ventral tegmental area (A10 region) on flight behaviour elicited by hypothalamic stimulation in the cat (610) 242
Cunningham, J.T., Nissen, R. and Renaud, L.P.
Norepinephrine injections in diagonal band of Broca selectively reduce the activity of vasopressin supraoptic neurons in the rat (610) 152

Dailey, J.W., see Yan, Q.-S. (610) 24
D'Amelio, M., see Crescimanno, G. (610) 242
Degani, H., see Ting, Y.-L.T. (610) 16
De Ryck, M., see Pauwels, P.J. (610) 8
Dom, R., see Pauwels, P.J. (610) 8
Dotti, C.G., Kartenbeck, J. and Simons, K.
Polarized distribution of the viral glycoproteins of vesicular stomatitis, fowl plague and Semliki Forest viruses in hippocampal neurons in culture: a light and electron microscopy study (610) 141
Downie, J.W., see Sawynok, J. (610) 32
Dudchenko, P., see Holley, L.A. (610) 181
Duggan, A.W., see Furmidge, L.J. (610) 234

Emmi, A., see Crescimanno, G. (610) 242
Emson, P.C., see Kishimoto, J. (610) 325
Ensor, D.M., Morley, J.S., Redfern, R.M. and Miles, J.B.
The activity of an analogue of MPF (β-endorphin 28–31) in a rat model of Parkinson's disease (610) 166

Faull, R.L.M., see Waldvogel, H.J. (610) 311
Ferdico, M., see Crescimanno, G. (610) 242
Feuerstein, G.Z., see Yue, T.-L. (610) 53
Fine, A., see Stoll, J. (610) 295
Fink, D.J., see Mata, M. (610) 162
Firestone, L.L., see Quinlan, J.J. (610) 224
Florkiewicz, R.Z., see Puchacz, E. (610) 39
Fox, L.M., see McNulty, J.A. (610) 108
Furmidge, L.J., Duggan, A.W. and Arbuthnott, G.W.
Substance P release from rat nucleus accumbens and striatum: an in vivo study using antibody microprobes (610) 234
Furukawa, K., see Oyama, Y. (610) 172

Gallaher, E.J., see Quinlan, J.J. (610) 224
Gibbs, R.B., McCarthy, M.M. and Pfaff, D.W.
Nerve growth factor affects defense-related behaviors, but not lordosis, in ovariectomized, estrogen-treated rats (610) 256
Gu, J.-L., see Yue, T.-L. (610) 53

Halvorson, I. and Thornhill, J.
Posterior hypothalamic stimulation of anesthetized normothermic and hypothermic rats evokes shivering thermogenesis (610) 208
Handunge, B.P., see Malin, D.R. (610) 169
Hayashi, A., see Oyama, Y. (610) 172
Hayden, M.R., see Tooyama, I. (610) 1
Herrera, A.J., see Osborne, N.N. (610) 194
Herreras, O. and Somjen, G.G.
Analysis of potential shifts associated with recurrent spreading depression and prolonged unstable spreading depression induced by microdialysis of elevated K^+ in hippocampus of anesthetized rats (610) 283
Herreras, O. and Somjen, G.G.
Propagation of spreading depression among dendrites and somata of the same cell population (610) 276
Hirayasu, Y. and Wada, J.A.
The effect of brainstem bisection prior to the amygdala kindling in rats (610) 354
Holley, L.A., Miller, J.A., Chmielewski, P.A., Dudchenko, P. and Sarter, M.
Interactions between the effects of basal forebrain lesions and chronic treatment with MDL 26,479 on learning and markers of cholinergic transmission (610) 181
Hwang, P.N., see Borisy, F.F. (610) 199

Ikebuchi, J., see Matsubara, K. (610) 90
Isaac, L., see Qu, Z.-X. (610) 340

Jin, C.-F., see Mata, M. (610) 162
Jobe, P.C., see Yan, Q.-S. (610) 24

Kagawa, M., see Matsubara, K. (610) 90
Kalra, P.S. and Kalra, S.P.
Neuropeptide K stimulates corticosterone release in the rat (610) 330
Kalra, S.P., see Kalra, P.S. (610) 330
Kartenbeck, J., see Dotti, C.G. (610) 141
Kastin, A.J., see Malin, D.R. (610) 169
Kempski, O., see Staub, F. (610) 69
Keverne, E.B., see Kishimoto, J. (610) 325
Kim, B.S., see Park, H.T. (610) 334
Kim, J.B., see Park, H.T. (610) 334
Kim, J.J., see Park, H.T. (610) 334
Kimura, H., see Tooyama, I. (610) 1
Kishimoto, J., Keverne, E.B. and Emson, P.C.
Calretinin, calbindin-D28k and parvalbumin-like immunoreactivity in mouse chemoreceptor neurons (610) 325
Kosobud, A.E. and Crabbe, J.C.
Sensitivity to *N*-methyl-D-aspartic acid-induced convulsions is genetically associated with resistance to ethanol withdrawal seizures (610) 176
Kremer, H.P.H., see Tooyama, I. (610) 1
Kumashiro, H., see Mori, N. (610) 344

Lake, J.R., see Malin, D.R. (610) 169
Lee, D.K., see Bondy, S.C. (610) 229
Le Mevel, J.-C., Pamantung, T.-F., Mabin, D. and Vaudry, H.
Effects of central and peripheral admin-

istration of arginine vasotocin and related neuropeptides on blood pressure and heart rate in the conscious trout (610) 82
Lewis, D.I., Sermasi, E. and Coote, J.H. Excitatory and indirect inhibitory actions of 5-hydroxytryptamine on sympathetic preganglionic neurones in the neonate rat spinal cord in vitro (610) 267
Leysen, J.E., see Pauwels, P.J. (610) 8
Leyva, J.E., see Malin, D.R. (610) 169
Łon, S., see Noszczyk, B. (610) 115
Lukas, R.J., see Puchacz, E. (610) 39

Mabin, D., see Le Mevel, J.-C. (610) 82
Malin, D.R., Zadina, J.E., Lake, J.R., Rogillio, R.B., Leyva, J.E., Benson, T.M., Corriere, L.S., Handunge, B.P. and Kastin, A.J. Tyr-MIF-1 precipitates abstinence syndrome in morphine-dependent rats (610) 169
Manzo, L., see Castoldi, A.F. (610) 57
Mata, M., Jin, C.-F. and Fink, D.J. Axotomy inreases CNTF receptor mRNA in rat spinal cord (610) 162
Matsubara, K., Collins, M.A., Akane, A., Ikebuchi, J., Neafsey, E.J., Kagawa, M. and Shiono, H. Potential bioactivated neurotoxicants, *N*-methylated β-carbolinium ions, are present in human brain (610) 90
Mayer, B., see Onstott, D. (610) 317
McAllen, R.M., see Badoer, E. (610) 216
McCarthy, M.M., see Gibbs, R.B. (610) 256
McGeer, E.G., see Tooyama, I. (610) 1
McGeer, P.L., see Tooyama, I. (610) 1
McKinley, M.J., see Badoer, E. (610) 216
McNulty, J.A., Fox, L.M. and Silberman, S. Immunocytochemical demonstration of nerve growth factor receptor in the pineal gland: effect of NGF on pinealocyte neurite formation (610) 108
Miles, J.B., see Ensor, D.M. (610) 166
Miller, J.A., see Holley, L.A. (610) 181
Mori, N., Wada, J.A., Yokoyama, N., Ariga, K. and Kumashiro, H. Ipsilateral hemiconvulsive seizure after unilateral injection of procaine into the substantia innominata of amygdaloid-kindled rats (610) 344
Morley, J.S., see Ensor, D.M. (610) 166

Naito, M., see Ogawa, M. (610) 135
Neafsey, E.J., see Matsubara, K. (610) 90
Nissen, R., see Cunningham, J.T. (610) 152
Noszczyk, B., Łon, S. and Szczepańska-Sadowska, E. Central cardiovascular effects of AVP and AVP analogs with V_1, V_2 and 'V_3' agonistic or anatagonistic properties in conscious dog (610) 115

Ochiishi, T., Sugiura, H. and Yamauchi, T. Characterization and autophosphorylation of Ca^{2+}/calmodulin-dependent protein kinase in the postsynaptic density of the rat forebrain (610) 97
Ogawa, M., Araki, M., Naito, M., Takeya, M., Takahashi, K. and Yoshida, M. Early changes of macrophage-like immunoreactivity in the rat inferior olive after intraperitoneal 3-acetylpyridine injection (610) 135
Ohno, M., Shibata, S., Yamamoto, T. and Watanabe, S. Working memory deficits following muscarinic blockade combined with depletion of brain somatostatin in rats (610) 348
Oldfield, B.J., see Badoer, E. (610) 216
Onstott, D., Mayer, B. and Beitz, A.J. Nitric oxide synthase immunoreactive neurons anatomically define a longitudinal dorsolateral column within the midbrain periaqueductal gray of the rat: analysis using laser confocal microscopy (610) 317
Osborne, N.N., Barnett, N. and Herrera, A.J. NADPH diaphorase localization and nitric oxide synthetase activity in the retina and anterior uvea of the rabbit eye (610) 194
Oyama, Y., Hayashi, A., Ueha, T., Chikahisa, L. and Furukawa, K. Fluorescent estimation on the effect of Ca^{2+} antagonists on the oxidative metabolism in dissociated mammalian brain neurons (610) 172

Pamantung, T.-F., see Le Mevel, J.-C. (610) 82
Park, H.T., Baek, S.Y., Kim, B.S., Kim, J.B. and Kim, J.J. Profile of Fos-like immunoreactivity induction by light stimuli in the intergeniculate leaflet is different from that of the suprachiasmatic nucleus (610) 334
Pauwels, P.J., Van Assouw, H.P., De Ryck, M., Leysen, J.E., Dom, R. and Van Gool, D. Towards an improved survival of rat brain neurons in culture by cerebrospinal fluid of patients with Senile Dementia of Alzheimer's type (610) 8
Peters, J., see Staub, F. (610) 69
Pfaff, D.W., see Gibbs, R.B. (610) 256
Phillis, J.W., see Buchanan, J.E. (610) 248
Prasad, V.V.T.S. Alterations and recovery of rat brain gangliosides and glycosidases following long-term exposure to alcohol and rehabilitation during development (610) 75
Puchacz, E., Stachowiak, E.K., Florkiewicz, R.Z., Lukas, R.J. and Stachowiak, M.K. Basic fibroblast growth factor (bFGF) regulates tyrosine hydroxylase and proenkephalin mRNA levels in adrenal chromaffin cells (610) 39

Qu, Z.-X. and Isaac, L. Dynorphin A (1–13) potentiates dynorphin A (1–17) on loss of the tail-flick reflex after intrathecal injection in the rat (610) 340
Quinlan, J.J., Gallaher, E.J. and Firestone, L.L. Halothane's effects on GABA-gated chloride flux in mice selectively bred for sensitivity or resistance to diazepam (610) 224

Rapoport, S.I., see Stoll, J. (610) 295
Redfern, R.M., see Ensor, D.M. (610) 166
Reid, A.R., see Sawynok, J. (610) 32
Renaud, L.P., see Cunningham, J.T. (610) 152
Rogillio, R.B., see Malin, D.R. (610) 169
Ronnett, G.V., see Borisy, F.F. (610) 199
Roof, R.L. The dentate gyrus is sexually dimorphic in prepubescent rats: testosterone plays a significant role (610) 148

Sarter, M., see Holley, L.A. (610) 181
Sawynok, J., Downie, J.W., Reid, A.R., Cahill, C.M. and White, T.D. ATP release from dorsal spinal cord synaptosomes: characterization and neuronal origin (610) 32
Schneider, G.-H., see Staub, F. (610) 69
Schürer, L., see Staub, F. (610) 69
Sermasi, E., see Lewis, D.I. (610) 267
Sheen, K. and Chung, J.M. Signs of neuropathic pain depend on signals from injured nerve fibers in a rat model (610) 62
Shibata, S., see Ohno, M. (610) 348
Shiono, H., see Matsubara, K. (610) 90
Silberman, S., see McNulty, J.A. (610) 108
Simons, K., see Dotti, C.G. (610) 141
Snyder, S.H., see Borisy, F.F. (610) 199
Somjen, G.G., see Herreras, O. (610) 276
Somjen, G.G., see Herreras, O. (610) 283
Sorbera, F., see Crescimanno, G. (610) 242
Stachowiak, E.K., see Puchacz, E. (610) 39
Stachowiak, M.K., see Puchacz, E. (610) 39
Staub, F., Peters, J., Kempski, O., Schneider, G.-H., Schürer, L. and Baethmann, A. Swelling of glial cells in lactacidosis and by glutamate: significance of Cl^--transport (610) 69
Stockmeier, C.A. and Zhang, Y. Characterization of [^{3}H]forskolin binding sites in the human caudate nucleus (610) 156
Stoll, J., Balbo, A., Ault, B., Rapoport, S.I. and Fine, A. Long-term transplants of mouse trisomy 16 hippocampal neurons, a model for Down's syndrome, do not develop Alzheimer's disease neuropathology (610) 295
Sugiura, H., see Ochiishi, T. (610) 97
Szczepańska-Sadowska, E., see Noszczyk, B. (610) 115

Takahashi, K., see Ogawa, M. (610) 135
Takeya, M., see Ogawa, M. (610) 135
Thornhill, J., see Halvorson, I. (610) 208
Ting, Y.-L.T. and Degani, H. Energetics and glucose metabolism in hippocampal slices during depolarization: ^{31}P and ^{13}C NMR studies (610) 16

Tooyama, I., Kremer, H.P.H., Hayden, M.R., Kimura, H., McGeer, E.G. and McGeer, P.L.
Acidic and basic fibroblast growth factor-like immunoreactivity in the striatum and midbrain in Huntington's disease (610) 1

Ueha, T., see Oyama, Y. (610) 172

Van Assouw, H.P., see Pauwels, P.J. (610) 8
Van Gool, D., see Pauwels, P.J. (610) 8
Vaudry, H., see Le Mevel, J.-C. (610) 82

Wada, J.A., see Hirayasu, Y. (610) 354
Wada, J.A., see Mori, N. (610) 344
Waldvogel, H.J. and Faull, R.L.M.
Compartmentalization of parvalbumin immunoreactivity in the human striatum (610) 311
Watanabe, S., see Ohno, M. (610) 348
White, T.D., see Sawynok, J. (610) 32

Xiao, L., see Castner, S.A. (610) 127

Yamamoto, T., see Ohno, M. (610) 348
Yamauchi, T., see Ochiishi, T. (610) 97
Yan, Q.-S., Jobe, P.C. and Dailey, J.W.
Noradrenergic mechanisms for the anticonvulsant effects of desipramine and yohimbine in genetically epilepsy-prone rats: studies with microdialysis (610) 24
Yokoyama, N., see Mori, N. (610) 344
Yoshida, M., see Ogawa, M. (610) 135
Yue, T.-L., Barone, F.C., Gu, J.-L. and Feuerstein, G.Z.
Brain α-tocopherol levels are not altered following ischemia/reperfusion-induced cerebral injury in rats and gerbils (610) 53

Zadina, J.E., see Malin, D.R. (610) 169
Zhang, Y., see Stockmeier, C.A. (610) 156

(contents continued)

Calretinin, calbindin-D28k and parvalbumin-like immunoreactivity in mouse chemoreceptor neurons
J. Kishimoto, E.B. Keverne and P.C. Emson (UK) 325
Neuropeptide K stimulates corticosterone release in the rat
P.S. Kalra and S.P. Kalra (USA) 330
Profile of Fos-like immunoreactivity induction by light stimuli in the intergeniculate leaflet is different from that of the suprachiasmatic nucleus
H.T. Park, S.Y. Baek, B.S. Kim, J.B. Kim and J.J. Kim (South Korea) 334
Dynorphin A (1–13) potentiates dynorphin A (1–17) on loss of the tail-flick reflex after intrathecal injection in the rat
Z.-X. Qu and L. Isaac (USA) 340
Ipsilateral hemiconvulsive seizure after unilateral injection of procaine into the substantia innominata of amygdaloid-kindled rats
N. Mori, J.A. Wada, N. Yokoyama, K. Ariga and H. Kumashiro (Japan, Canada) 344
Working memory deficits following muscarinic blockade combined with depletion of brain somatostatin in rats
M. Ohno, S. Shibata, T. Yamamoto and S. Watanabe (Japan) 348
The effect of brainstem bisection prior to the amygdala kindling in rats
Y. Hirayasu and J.A. Wada (Canada) 354

Author Index 358